

OPEN UP NEW HORIZONS

EXOS. accessories and washbasins



*Make
it
Wonderful*

FRANKE



OPEN UP NEW HORIZONS

EXOS. the new Franke system line, opens up new horizons with its accessories and washbasins for public and semi-public areas.

One line. One system.

One consistent design language, clear-cut shapes, a high quality standard, modular options for customised solutions. Sustainability is the key concept here.

EXOS. by Franke.

One line. One design.

Functionality in perfect harmony.

EXOS. accessories and washbasins combined with PROTRONIC-S electronic taps

EXOS. ONE LINE

EXOS. by Franke for public and semi-public areas represents the future. For a system that opens up new horizons and combines worlds. The world of accessories and the world of washbasins. The world of functionality and design. For wheelchair accessible, customised areas. Straight lines, sophisticated, timeless. Perfect for every room. Personalised. A perfectly designed system.

EXOS. by Franke.
Perfectly designed architecture in evidence.
Highest quality. Tangible throughout the line.

Consistent design language

The line can be harmonically integrated into any new or existing architectural setting due to its clear-cut, consistent, timeless, elegant design and material.

EXOS. by Franke represents harmony.
Distinctive throughout the line.

Modular functionality

EXOS. accessories and washbasins guarantee optimum design flexibility for architecture and planning. The line is suitable for individual, customised solutions for new or existing public or semi-public areas.

All EXOS. products are modular in design and the system will be constantly expandable and upgradeable: The front panels of the accessories are exchangeable and the operation of the soap dispenser can be changed. The bowls and the length of the washbasins can be selected. Thus the whole line represents a comprehensive range that guarantees maximum reliability and planning flexibility and the highest quality modular range of features.

EXOS. by Franke - there's method in it.
Perfect solutions throughout the line.

Exceptional quality

Well established materials, such as stainless steel, glass and mineral granite are used for EXOS. All EXOS. system components are high quality, easy to clean and durable.

The whole line - from the use of different materials up to modular washbasin designs - takes modern requirements into consideration.

EXOS. by Franke is quality.
Tangible throughout the line.





EXOS. ACCESSORIES

EXOS. accessories by Franke – functionality and performance. Interchangeable fronts made of high quality materials, such as stainless steel and glass, are beautifully designed and can be incorporated individually in any architectural setting. Clear-cut lines. Sophisticated shapes. The timeless design makes for harmonious proportions.

EXOS. accessories by Franke.
Features and design in harmony.

EXOS. accessories

With EXOS. accessories, Franke is setting a new direction: Clear-cut design, modular systems and high quality materials.

By the use of interchangeable fronts in different sorts of materials, such as stainless steel and glass, different room ambiances can be created. Flexibility can also be found in the soap dispenser product group. Here the inner operation can be easily changed from electronic to manual, from liquid soap to foam soap. This is possible at any time, even retrospectively.

EXOS. offers modular flexibility.
Throughout the range.

far left: EXOS. Paper towel dispenser and waste bin with black glass front
top left: EXOS. Hand towel roll dispenser with stainless steel front and InoxPlus coating
bottom left: EXOS. Electronic soap dispenser with white glass front

EXOS. WASHBASINS

With EXOS. washbasins, Franke has created a unique, perfectly designed system line. With an uniform design language for the whole EXOS. washbasin range. For both standard and also customised solutions.

EXOS. washbasins by Franke.
For a perfectly designed system application.

EXOS. washbasins


EXOS. mineral granite washbasins stand out because of their universal flexibility and their modular system. High quality and distinctive design as well as tailor made functionality can be experienced. The use of high quality stainless steel waste covers underlines once more the harmony of the system line.

EXOS. washbasins are excellent for any type of solution in standard areas, wheelchair accessible and customised washrooms. The selection ranges from common standard sizes up to variable dimensions. The range also stands out because of its different bowl sizes, washbasin lengths and integrated additional fitting options.

Increased comfort, safety and ergonomics were taken into account in the design, the dimensions of the worktops, the design of the integrated grab rails and the deliberate separation of wet and dry areas.

EXOS. offers modular flexibility.
Throughout the range.





EXOS. MATERIAL

Franke's modular EXOS. system with its range of high quality materials is perfect for any situation. Customised. Modular. In existing or new architectural settings.

EXOS. and its materials.
Sophisticated, high quality, robust, modern, easy to clean and hygienic.
Everything well thought out. In one design line.

Stainless steel

The use of stainless steel as a basic material for equipment in public and semi-public washrooms is standard, for good reason. This well established material combines a stylish appearance with functionality and durability. It can be perfectly combined and can be harmoniously supplemented with materials such as glass and ceramics. Because of its material properties, stainless steel can take on and reflect the colours of its environment. Stainless steel products can easily be integrated into almost any room. This material sets standards.

Stainless steel with InoxPlus refinement

With Franke's InoxPlus surface coating the already easy to clean stainless steel has been approved once more. And so, annoying finger prints which previously often adhered stubbornly to stainless steel now belong practically in the past.

This is a technology where nano particles interlock with the molecules on the metal surface and thus nestle closely against microscopic imperfections. The results are deep finished, easy to clean, fingerprint-resistant surfaces.



MIRANIT

Sanitary equipment made of solid MIRANIT resin-bonded mineral material are eminently suitable for the modern and simultaneously aesthetic design of washrooms in institutions. MIRANIT products made in the truest sense of the word in one piece without bond seams and joins stand out because of their excellent properties - a high level of stability and an elegant look and feel. The smooth, pore-free, hygienic, easy to clean gel coat surface also offers extremely high resistance.

Toughened safety glass

Single glazed toughened safety glass is a material which, like stainless steel, is distinguished by its timeless character and its ability to be combined with other materials. Glass and stainless steel represent high quality and timeless elegance. You can no longer imagine modern room design without these two materials. Therefore, the deliberate combination of the two materials is particularly attractive.

In accordance with safety requirements in washrooms Franke only uses toughened safety glass.

VIEW	TYPE / MODEL	ITEM-NUMBER
EXOS. Automatic soap dispenser		
	Automatic soap dispenser for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, inspection window on side, infrared sensor activity for non-touch operation, LED display for low battery status, requires six 1.5 V AA batteries, suitable for liquid soap and lotions, includes 800 ml refill tank, dispenses 0.6 - 1.1 ml depending on soap, includes mounting materials. Different unit and front panel versions available. 120 x 326 x 120 mm (W x H x D)	
	Non-coated main housing, InoxPlus-coated front panel EXOS625	2030022941
	InoxPlus-coated main housing and front panel EXOS625X	2030022942
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS625B	2030022943
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS625W	2030025231
EXOS. Soap dispenser		
	Soap dispenser for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, inspection window on side, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials. Different unit and front panel versions available. 120 x 326 x 120 mm (W x H x D)	
	Non-coated main housing, InoxPlus-coated front panel EXOS618	2030022938
	InoxPlus-coated main housing and front panel EXOS618X	2030022939
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS618B	2030022940
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS618W	2030025230
EXOS. Foam soap dispenser		
	Foam soap dispenser for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, inspection window on side, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap. Different unit and front panel versions available. 120 x 326 x 120 mm (W x H x D)	
	Non-coated main housing, InoxPlus-coated front panel EXOS616	2030022944
	InoxPlus-coated main housing and front panel EXOS616X	2030022945
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS616B	2030022946
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS616W	2030025232

VIEW	TYPE / MODEL	ITEM-NUMBER
Interchangeable front panels for EXOS. Soap dispenser		
	InoxPlus-coated front panel ZEXOS616	2030022947
	Black toughened safety glass front panel ZEXOS616B	2030022948
	White toughened safety glass front panel ZEXOS616W	2030025238
Conversion kits for EXOS. Soap dispenser		
	Automatic soap dispenser conversion kit including automatic unit, refill tank, assembly plate and mounting material. For liquid and foam soap dispenser EXOS618 and EXOS616. ZEXOS625K	2030022954
	Liquid soap dispenser conversion kit including soap pump, refill tank, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and foam soap dispenser EXOS625 and EXOS616. ZEXOS618K	2030022956
	Foam soap dispenser conversion kit including soap pump, disposable cartridge, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and liquid soap dispenser EXOS625 and EXOS618. ZEXOS616K	2030022955
EXOS. Paper towel roll dispenser		
	Manual paper towel roll dispenser for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, max. roll width 205 mm, max. roll diameter 200 mm, paper perforation length 260 mm, adjustable paper roll holder for optimized paper dispensing, includes mounting materials. Different unit and front panel versions available. 300 x 423 x 210 mm (W x H x D)	
	Non-coated main housing, InoxPlus-coated front panel EXOS637	2030022949
	InoxPlus-coated main housing and front panel EXOS637X	2030022950
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS637B	2030022951
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS637W	2030025233
Interchangeable front panels for EXOS. Paper towel roll dispenser		
	InoxPlus-coated front panel ZEXOS637	2030022952
	Black toughened safety glass front panel ZEXOS637B	2030022953
	White toughened safety glass front panel ZEXOS637W	2030025239

VIEW	TYPE / MODEL	ITEM-NUMBER
------	--------------	-------------



EXOS. Paper towel dispenser

Paper towel dispenser for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, inspection window on side, capacity 300 - 400 pcs for Z-folded paper, includes mounting materials. Different unit and front panel versions available.

300 x 326 x 120 mm (W x H x D)

Non-coated main housing, InoxPlus-coated front panel
EXOS600 2030022932

InoxPlus-coated main housing and front panel
EXOS600X 2030022933

InoxPlus-coated main housing, black toughened safety glass front panel
EXOS600B 2030022934

InoxPlus-coated main housing, white toughened safety glass front panel
EXOS600W 2030025229



Interchangeable front panels for EXOS. Paper towel dispenser

InoxPlus-coated front panel
ZEXOS600 2030022936

Black toughened safety glass front panel
ZEXOS600B 2030022937

White toughened safety glass front panel
ZEXOS600W 2030025236



EXOS. Waste bin

Waste bin for wall mounting, stainless steel with satin finish, material thickness 1.2 mm, capacity approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Different unit and front panel versions available.

300 x 573 x 250 mm (W x H x D)

Non-coated main housing, InoxPlus-coated front panel
EXOS605 2030022926

InoxPlus-coated main housing and front panel
EXOS605X 2030022928

InoxPlus-coated main housing, black toughened safety glass front panel
EXOS605B 2030022929

InoxPlus-coated main housing, white toughened safety glass front panel
EXOS605W 2030025228



Interchangeable front panels for EXOS. Waste bin

InoxPlus-coated front panel
ZEXOS605 2030022930

Black toughened safety glass front panel
ZEXOS605B 2030022931

White toughened safety glass front panel
ZEXOS605W 2030025234



VIEW	TYPE / MODEL	ITEM-NUMBER
------	--------------	-------------



EXOS. Single washbasin - Standard

Single washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Washbasin: 600 x 125 x 500 mm (W x H x D)
Bowl: 380 x 90 x 340 mm (W x H x D)

ANMW0010 2030020677



EXOS. Single washbasin - Standard

Single washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Washbasin: 900 x 125 x 500 mm (W x H x D)
Bowl: 500 x 90 x 340 mm (W x H x D)

ANMW0011 2030020679



EXOS. Single washbasin - wheelchair accessible


Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.


Washbasin: 600 x 125 x 500 mm (W x H x D)
Bowl: 380 x 90 x 340 mm (W x H x D)

ANMW0001 2030020667







VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. Single washbasin - wheelchair accessible	
	Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.	
	Washbasin: 900 x 125 x 500 mm (W x H x D) Bowl: 500 x 90 x 340 mm (W x H x D)	
	ANMW0002	2030020673

	EXOS. Multiple washbasin / washbasin solution - Standard	
	Multiple washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. The unit has up to 5 seamless moulded bowls, no overflow and lowered tap ledge with tap hole. Variable gaps between bowls, available with/without apron or gel-coated edges. Individual washbasin length up to 3600 mm, with or without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.	
	Minimum dimensions: 600 x 125 x 500 mm (W x H x D) (bowl 380 mm) Minimum dimensions: 700 x 125 x 500 mm (W x H x D) (bowl 500 mm)	
	Bowl: <input type="checkbox"/> 380 x 90 x 340 mm <input type="checkbox"/> 500 x 90 x 340 mm	
	Number of bowls: (min. 1 unit, max. 5 units)	
	Manufacturing dimension: Washbasin length: mm (max. 3600 mm) Distance between bowls: mm (min. 600 mm with 380 mm bowl / min. 700 mm with 500 mm bowl)	
	Splash back: Rear splash back: mm (min. 10 mm / max. 100 mm)	
	Apron: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Front <input type="checkbox"/> Without apron (Edges with Gelcoat) Apron height: mm (max. 150 mm)	
	Holes: for <input type="checkbox"/> Soap dispenser <input type="checkbox"/> Stainless steel waste disposal barrel <input type="checkbox"/> Waste disposal flap <input type="checkbox"/> Waste disposal with Gelcoat <input type="checkbox"/> Paper towel dispenser <input type="checkbox"/> Hand towel holder	
	Detailed specifications regarding type of installation and distance between bowls will be clarified when the order is received using manufacturing specifications (available on request from Franke).	

VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. Washbasin solution - wheelchair accessible	
	Washbasin solution, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Individual washbasin length up to 3600 mm, with/without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.	
	Minimum dimensions: 780 x 125 x 500 mm (W x H x D) (bowl 380 mm) Minimum dimensions: 900 x 125 x 500 mm (W x H x D) (bowl 500 mm)	
	Bowl: <input type="checkbox"/> 380 x 90 x 340 mm <input type="checkbox"/> 500 x 90 x 340 mm	
	Manufacturing dimension: Washbasin length: mm (max. 3600 mm)	
	Splash back: <input type="checkbox"/> Rear splash back: mm (min. 10 mm / max. 100 mm)	
	Holes: for <input type="checkbox"/> Soap dispenser <input type="checkbox"/> Stainless steel waste disposal barrel <input type="checkbox"/> Waste disposal flap <input type="checkbox"/> Waste disposal with Gelcoat <input type="checkbox"/> Paper towel dispenser	
	Detailed specifications regarding type of installation will be clarified when the order is received using manufacturing specifications (available on request from Franke).	

	EXOS. Hand washbasin - wheelchair accessible	
	Hand washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material included. Colour: Alpine white.	
	Washbasin: 500 x 121 x 400 mm (W x H x D) Bowl: 280 x 90 x 274 mm (W x H x D)	
	ANMW0003	2030020676
	Optional: ZANMW900 Dome waste valve DN 32 ZANMW901 Strainer waste DN 32	2000100861 2000100854

Complementary products

VIEW	TYPE / MODEL	ITEM-NUMBER
	<p>Soap dispenser for table top mounting into worktops</p> <p>Soap dispenser for table top mounting into worktops with max. 45 mm thickness, high polished chromated brass, requires 22 mm drilling hole, G 1/2 B thread, spout not movable, spout length 140 mm, suitable for liquid soaps and lotions, 1 litre soap tank with membrane for pressure balance, filled from above.</p> <p>With standard body length (85 mm)</p>	2000056721
	<p>Waste disposal flap for table top installation</p> <p>Waste disposal flap for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, self-closing disposal flap, without waste container.</p>	2000101211
	<p>Waste chute for table top installation</p> <p>Waste chute for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, without waste container.</p>	2000101212
	<p>Paper towel dispenser for installation from the top</p> <p>Paper towel dispenser for installation from the top, stainless steel, surface satin finished, material thickness 0.8 mm, capacity for 600 Z-fold paper towels, filling from top, including stainless steel screws and dowels.</p>	2000102672
	<p>Consumables</p> <p>Organic liquid soap, 1 litre bottle (minimum order quantity 6 bottles), suitable for EXOS625 and EXOS618.</p>	2000057162
	<p>Liquid soap organic, 10 litre canister, suitable for EXOS625 and EXOS618.</p>	2000057168
	<p>Foam soap cartridge 650 ml (minimum order quantity 9 bottles), suitable for EXOS616.</p>	2000100946
	<p>FH68 Z-folded paper towels, 255 x 92 mm, 168 pcs per pack, 20 packs per box (minimum order quantity 1 box), suitable for EXOS600.</p>	2000100015

EXOS.

Make
it
Wonderful

Franke Water Systems

ws-info.int@franke.com
www.franke.com

FRANKE