MYTHOS



FMY 839 HE

EN **Installation manual**

EN WARNING:
Before proceeding with installation, read the safety information in the User Manual.


A
B

1X
E


1X
N


520
90
166
830
260
4
476.8
762
230


34
762
34
112
4.9
52
230


21.6
476.8
21.6
115
157


830
90
520
260
166

112.0459.427





112.0459.428





112.0459.429





112.0459.451



112.0459.453



112.0459.455





112.0459.456



112.0253.681



112.0253.688



112.0253.690












min.
40 mm
150 mm





112.0539.569



112.0539.568



112.0539.570



112.0679.887


600
600
60
100


700
700
60
100


860


900


120
400


101
=
400
=





A



B



1x









2x







1y









2y







1z



2z



3



4



5







6





6a



112.0539.568

6b









112.0539.570

7c



112.0679.887

7.1











7.2



MONO-PHASE

1 x 32A circuit breaker
220-240V~
1+N+GND



BI-PHASE

2 x 16A circuit breaker
380-415V~
2+N+GND



THREE-PHASE

3 x 16A circuit breaker
380-415V~
3+N+GND



color	connection		
	MONO-PHASE	BI-PHASE	TRI-PHASE
BLACK	L	L1	L1
BROWN	L	L3	L3
BLUE(GREY)	N	N	L2
BLUE	N	N	N
YEL/GRN ⏚	GND		
▬	BRIDGE		



www.franke.com

© Franke Technology and Trademark Ltd., Switzerland | 991.0685.477_03 - 221122 - D00008836_02

Franke UK Ltd.
MIOC, Suite 1, Styal Road
Manchester
M22 5WB
www.franke.com/gb/en/hs.html

FRANKE